

## Automatic hardcover box assembly glue machine

(Automatic gluing spraying machine)




### Features:

1. Automatic hardcover feeding.
2. This machine adopts the high end PLC controller module, the transportation point is 48mm.
3. This machine adopts air suction conveying belt, hull without any slip.
4. Glue adopts international environmental protection type hot melt adhesive (pressure-sensitive adhesive).
5. Glue gun free movement, the trail of the glue line could edit depend on product need.
6. Inner box vacuum suction and accurate position.
7. Air valve control airflow, accurate and thorough, every action step in place.
8. Automatic pressing and delivery out.
9. The machine comes with the correction function, the error rate is 0.20mm.
10. C/E certificate


### Technical parameter:


Box size (max / min)	100MM*150MM~650MM*950MM
Case maker size(max/min)	110MM*160MM~450MM*950MM
production rate	About 25 minutes per minute
power of motor	6KW
air input	5~8kg/m <sup>2</sup>
Dimension	4000*1600*1900mm
Machine weight(kg)	1800kg
Spray pattern	Straight lines, square, round, arc and other patterns
output	1100-1500PS/H
Plate thickness	3—25mm (adjustable)
Gray board length and width	950×600mm
Glue thickness	1.5~4mm (adjustable)
The spray head	1 symmetrical motions
Box setting station	1
Glue heating	About 185 degrees at normal temperature
Adhesive weight	1G~5G/S
Ac output	AC220V/380V
control system	Independent R D
Programming	teaching programming








Old processing:



New Processing:









Samples:

